CITYSPOT® CITYBULLE 3 M³



SULO®

EXTREMELY POPULAR AND VARIABLE

Citybulle 3 m³



Aproved over decades this variable recycling bank makes use of even the smallest spaces thanks to its optimal shape


- Popular because of timeless design and practical functionality
- Suitable for efficient use of the smallest areas for waste collection
- Easy configuration for all important waste sorting functions
- Multiple options to ease the use: e.g. noise reduction for glass, special flap for major consumers
- Easy to be used by people with limited mobility
- Smallest shape for 3 m³ volume available on the market





TECHNICAL SPECIFICATIONS





Citybulle 3 m³

Difficultions (min)		votanics	
A Width	1400	Useful Volumes ~ (m³)	2,40
B Height	1600	Unloaded weight (kg)	200
C Depth	1400	Maximum weight (kg)	1200
D Height from the ground	1450	Space requirements (m²)	1,96
E Height for reduced mobilit	y 1180		

LIFTING DEVICES





Single Hook

PERSONALISATION

CITYSPOT®



Sorting out instruction (example)

SLOT SYSTEMS



Glass

Green

RAL 6010-6018

COLOURS"





Residual Waste

Iron Grey

RAL 7011



Sky Blue RAL 5015

Paper/ Cardboard



Extended sorting

instructions (no lock)



English Green	Ash Green	Chromic Oxide Green	Flint Grey	Pearl Grey
Pantone 5535 C	Pantone Q752-3-2	RAL 6020	Pantone Q710-3-2	Pantone Grey 6 C
Dark Grey	Charcoal Grey	Walnut Brown	Chocolate Brow	Navy Blue
Pantone Grey 11 C	Pantone Q728-1-2	Pantone Q710-1-2	RAL 8019	Pantone 296 C

^{*} data for product with kinshofer ** all of the colours on demand



CITYBULLE

3 m³

	3 m³
TECHNICAL SPECIFICATIONS	
Dimensions	Single Hook Depth: 1560 mm, Width: 1400 mm, Height: 1600 mm Kinshofer Depth: 1400 mm, Width: 1400 mm, Height: 1600 mm,
Height of holes from the ground	1450 mm
Height of the openings for reduced mobility from the ground	1180 mm
Useful volumes	2,40 m³
Unloaded weigth	200 kg
Maximum weigth	1200 kg
Lifting device	Single Hook , Kinshofer
Flap Opening Volume	Single Hook simple flap: 61,2 litres, Kinshofer double flap: 112 litres
INSTALLATION	
Space requirements	1,96m²
Transport	9 units per truck
HANDLING, COMFORT AND FLEXIBILITY	
Compactor	-
Reduce mobility	•
Foot pedal	-
Sound-proofing	Installation of an insulating polyethylene foam
EMPTYING	
Number of operators	<u> </u>
Duration of emptying	1-2 min
Emptying system according prehension grip	Single flap, vertical

CITYBULLE

 3 m^3

SERVICE	
Pay as you throw billing	-
Access control	-
Level measurement	•
FRACTIONS	
Regular waste RAL 7011	545 x 365 mm
Paper RAL 5015	115 x 350 mm
Packaging RAL 1018	Standard orifice 115 x 350 mm
Cardboard RAL 5023	115 x 350 mm
Glass RAL 6010-6018	Diameter 150 mm
Extended sorting instructions RAL 1018	Big user flap with shutter without lock
Big user flap	510 mm x 340 mm
STANDARDS	
	NF EN 13071

StandardOption

sulo.com

